SERIES 261 DIAL TEST INDICATOR

- Economic type
- Jeweled bearing
- Double scale spacing
- Anti-magnetic copper body
- With two clamps: Ø4mm and Ø8mm





261-008-62P


Application



Clamps **(included)**







unit: mm

Code	Range	Bezel(d)	Graduation	Styli	Accuracy	Hysteresis	Scale
261-008-61P	0.8mm	Ø30mm	0.01mm	carbide	13μm	3μm	0-40-0
261-008-62P	0.8mm	Ø37.5mm	0.01mm	carbide	13μm	3μm	0-40-0

With manufacturer inspection certificate

SERIES 261 DIAL TEST INDICATOR

Certificate Jeweled

- Economic type
- Jeweled bearing
- Double scale spacing
- Anti-magnetic copper body
- With two clamps: Ø4mm and Ø8mm




261-002-61P


Application




Clamps **(included)**



unit: mm





Code	Range	Bezel(d)	Graduation	Styli	Accuracy	Hysteresis	Scale
261-002-61P	0.2mm	Ø33mm	0.002mm	carbide	6μm	2μm	0-100-0
261-002-62P	0.2mm	Ø37.5mm	0.002mm	carbide	6μm	2μm	0-100-0

With manufacturer inspection certificate

SERIES 261 DIAL TEST INDICATOR

- Jeweled bearing
- Double scale spacing
- Anti-magnetic copper body
- With two clamps: Ø4mm and Ø8mm




261-002-01


Application




Clamps **(included)**



unit: mm





Code	Range	Bezel(d)	Graduation	Styli	Accuracy	Hysteresis	Scale	L
261-002-01	0.2mm	Ø30mm	0.002mm	carbide	6μm	2μm	0-100-0	15
261-002-02	0.2mm	Ø37.5mm	0.002mm	carbide	6μm	2μm	0-100-0	17

With manufacturer inspection certificate